DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC **GEL (PART A information is below)**

Version 3.0	Revision Date: 09/14/2017	SDS Number: 875467-00009		Date of last issue: 03/14/2017 Date of first issue: 12/02/2014		
SECTION 1. IDENTIFICATION						
Product name		:	SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)			
Product code		:	0000000001512269			
Manut	facturer or supplier's	deta	ails			
Company name of supplier		:	Dow Corning Corporation			
Address		:	South Saginaw Road Midland Michigan 48686			
Telephone		:	(989) 496-6000			
Emergency telephone		:	24 Hour Emergency Telephone : (989) 496-5900 CHEMTREC : (800) 424-9300			
Recommended use of the chemical and restrictions on use						
Recommended use		:	Electrical industry	and electronics		

## **SECTION 2. HAZARDS IDENTIFICATION**

#### GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Silicone

#### Hazardous ingredients

No hazardous ingredients

#### **SECTION 4. FIRST AID MEASURES**

If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Wash with water and soap as a precaution. Get medical attention if symptoms occur.

DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version 3.0	Revision Date: 09/14/2017		DS Number: 5467-00009	Date of last issue: 03/14/2017 Date of first issue: 12/02/2014
In case of eye contact If swallowed		:		rater as a precaution. tion if irritation develops and persists.
		:	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed		:	None known.	
Protection of first-aiders Notes to physician		:	No special precau	utions are necessary for first aid responders.
		:	Treat symptomati	cally and supportively.

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion prod- ucts	:	Carbon oxides Silicon oxides Formaldehyde
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Follow safe handling advice and personal protective equipment recommendations.
Environmental precautions	:	Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or

DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version 3.0	Revision Date: 09/14/2017		DS Number: 5467-00009	Date of last issue: 03/14/2017 Date of first issue: 12/02/2014
				se of contaminated wash water. should be advised if significant spillages ed.
	ds and materials for Iment and cleaning up	d cleaning up For large spills, containment to can be pumped container. Clean up remai absorbent. Local or nationa disposal of this employed in the determine which Sections 13 and		t absorbent material. rovide diking or other appropriate eep material from spreading. If diked material store recovered material in appropriate ng materials from spill with suitable regulations may apply to releases and aterial, as well as those materials and items leanup of releases. You will need to regulations are applicable. 5 of this SDS provide information regarding tional requirements.

#### SECTION 7. HANDLING AND STORAGE

Technical measures		See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling Conditions for safe storage	:	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Take care to prevent spills, waste and minimize release to the environment.
	:	Keep in properly labeled containers. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Processing may form hazardous compounds (see 10).   Ensure adequate ventilation, especially in confine Minimize workplace exposure concentrations.
---

#### Personal protective equipment

Respiratory protection	:	No persona	l respiratory	protective	equipment normally
------------------------	---	------------	---------------	------------	--------------------

DOW CORNING

# SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version 3.0	Revision Date: 09/14/2017		8 Number: 467-00009	Date of last issue: 03/14/2017 Date of first issue: 12/02/2014		
		r	required.			
Hand	protection					
Re	emarks	: \	: Wash hands before breaks and at the end of workday.			
Eye protection			Wear the following personal protective equipment: Safety glasses			
Skin a	Skin and body protection		: Skin should be washed after contact.			
Hygiene measures		 	Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. These precautions are for room temperature handling. Use elevated temperature or aerosol/spray applications may require added precautions. For further information regarding the use of silicones / organic oils in consumer aerosol applications, please refer the guidance document regarding the use of these type of materials in consumer aerosol applications that has been developed by the silicone industry (www.SEHSC.com) or contact the Dow Corning customer service group.			

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	colorless
Odor	:	none
Odor Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	> 65 °C
Flash point	:	121 °C Method: Pensky-Martens closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Self-ignition	:	The substance or mixture is not classified as pyrophoric. The

DOW CORNING

# SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Vers 3.0	sion	Revision Date: 09/14/2017		S Number: 6467-00009	Date of last issue: 03/14/2017 Date of first issue: 12/02/2014
				substance or mix	ture is not classified as self heating.
	Upper explosion limit / Upper flammability limit		:	No data available	
	Lower explosion limit / Lower flammability limit		:	No data available	•
	Vapor p	oressure	:	No data available	)
	Relativ	e vapor density	:	No data available	)
	Relativ	e density	:	0.97	
	Solubili Wat	ity(ies) ter solubility	:	No data available	
	Partition coefficient: n- octanol/water		:	No data available	
	Autoignition temperature		:	No data available	)
	Decomposition temperature		:	No data available	)
	Viscosity Viscosity, kinematic		:	415 cSt (25 °C)	
	Explosi	ive properties	:	Not explosive	
	Oxidizing properties		:	The substance of	mixture is not classified as oxidizing.
	Molecu	ılar weight	:	No data available	)
	Particle size		:	Not applicable	

#### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac- tions	:	Can react with strong oxidizing agents. Adequate ventilation is required. See OSHA formaldehyde standard, 29 CFR 1910.1048 When heated to temperatures above 180 °C (356 °F) in the presence of air, trace quantities of formaldehyde may be re- leased. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	:	None known.

DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version	Revision Da
3.0	09/14/2017

n Date: 017 SDS Number: 875467-00009 Date of last issue: 03/14/2017 Date of first issue: 12/02/2014

Incompatible materials : Oxidizing agents

#### Hazardous decomposition products

Thermal decomposition : Formaldehyde

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Inhalation Skin contact Ingestion Eye contact

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version	Revision Date:	SDS Number:
3.0	09/14/2017	875467-00009

Date of last issue: 03/14/2017 Date of first issue: 12/02/2014

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity No data available Persistence and degradability No data available Bioaccumulative potential No data available Mobility in soil

No data available

#### Other adverse effects

No data available

#### SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Resource Conservation and Recovery Act (RCRA)	:	This product has been evaluated for RCRA characteristics and does not meet the criteria of hazardous waste if discarded in its purchased form.
Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### **Domestic regulation**

DOW CORNING

## SYLGARD(R) 527 A&B SILICONE DIELECTRIC **GEL (PART A information is below)**

Version	Revision Date:	SDS Nu
3.0	09/14/2017	875467

umber: -00009

Date of last issue: 03/14/2017 Date of first issue: 12/02/2014

## 49 CFR

Not regulated as a dangerous good

#### SECTION 15. REGULATORY INFORMATION

#### **EPCRA - Emergency Planning and Community Right-to-Know**

#### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ. .. .....

SARA 311/312 Hazards	:	No SARA Hazards
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **US State Regulations**

#### Pennsylvania Right To Know

Dimethyl Siloxane, Dimethylvinylsiloxy-terminated	68083-19-2
---	------------

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### The ingredients of this product are reported in the following inventories:


NZIoC	:	All ingredients listed or exempt.
REACH	:	For purchases from Dow Corning EU legal entities, all ingredients are currently pre/registered or exempt under REACH. Please refer to section 1 for recommended uses. For purchases from non-EU Dow Corning legal entities with the intention to export into EEA please contact your DC representative/local office.
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
AICS	:	All ingredients listed or exempt.
IECSC	:	All ingredients listed or exempt.
ENCS/ISHL	:	All components are listed on ENCS/ISHL or exempted from inventory listing.
KECI	:	All ingredients listed, exempt or notified.

DOW CORNING


## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version 3.0	Revision Date: 09/14/2017	SDS Numl 875467-00		Date of last issue: 03/14/2017 Date of first issue: 12/02/2014
PICCS	3	: All ingr	edients lis	ted or exempt.
DSL		1999 a	Ind NSNR	tances in this product comply with the CEPA and are on or exempt from listing on the tic Substances List (DSL).
TCSI		: All ingr	edients lis	ted or exempt.

#### **SECTION 16. OTHER INFORMATION**



#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk: IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse)



## SYLGARD(R) 527 A&B SILICONE DIELECTRIC GEL (PART A information is below)

Version	Revision Date:	SDS Number:	Date of last issue: 03/14/2017
3.0	09/14/2017	875467-00009	Date of first issue: 12/02/2014

Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety		eChem Portal search results and European Chemicals Agen-
Data Sheet		cy, http://echa.europa.eu/

Revision Date : 09/14/2017

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8